



NEW TEK KABEL

Name is Enough



Newtek Kabel India Pvt. Ltd

PRICE LIST

POWER CABLES (COPPER ARMoured / UNARMoured)

NEWTEK KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)

Rate Per Meter (INR)

(UNARMoured CABLES) (2XY)						(ARMoured CABLES) (2XWY / 2XFY)					
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5
2	92	136	14	426	760	2	125	176	14	515	799
3	121	182	16	507	864	3	159	218	16	572	901
4	155	238	19	599	995	4	193	272	19	670	1032
5	192	293	24	760	1259	5	234	327	24	839	1295
6	216	332	27	838	1393	6	262	387	27	931	1447
7	247	398	30	981	1507	7	290	438	30	1024	1624
8	296	458	37	1182	1862	8	336	503	37	1246	1990
10	367	521	44	1396	2237	10	406	574	44	1514	2459
12	383	641	61	1968	3051	12	450	672	61	2067	3353

Size (Sq.mm)	(UNARMoured CABLES) (2XY)					(ARMoured CABLES) (2XWY / 2XFY)							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	194	271	-	340	-	229	301	-	390	488	578	662
6.0	-	277	389	-	496	-	314	421	-	568	683	903	1029
10.0	-	479	656	-	775	-	497	679	-	855	1108	-	-
16.0	370	629	925	-	1180	442	688	965	-	1265	1680	-	-
25.0	556	1054	1451	1570	1854	638	1089	1536	1788	1974	2550	-	-
35.0	740	1410	1939	2242	2776	842	1484	2073	2377	2926	3815	-	-
50.0	1019	1898	2702	3123	3562	1139	1972	2872	3260	3810	5200	-	-
70.0	1427	2544	3869	4538	5318	1584	2752	4077	4718	5558	-	-	-
95.0	1953	3471	5643	6493	7291	2045	3678	5763	6525	7548	-	-	-
120.0	2463	4367	6895	8586	9332	2558	4510	7375	8725	9760	-	-	-
150.0	3090	5465	8095	9851	11157	3198	5648	8457	10211	11393	-	-	-
185.0	3828	6742	10247	12369	14160	3911	6992	10877	13087	14235	-	-	-
240.0	4931	8632	13897	15848	18718	4986	9007	14450	16400	18903	-	-	-
300.0	6202	10755	16820	19480	22527	6298	11407	17775	20500	23668	-	-	-
400.0	8155	14356	22047	25697	30797	8449	15519	24006	27954	32881	-	-	-
500.0	10380	-	-	-	-	10450	-	-	-	-	-	-	-
630.0	13067	-	-	-	-	13136	-	-	-	-	-	-	-
800.0	16552	-	-	-	-	16628	-	-	-	-	-	-	-
1000.0	20692	-	-	-	-	20901	-	-	-	-	-	-	-

Additional to be charged for Special Construction

A) Tinning	5%	G) HR PVC Insulation	7%	As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.			
B) Stranding (upto 6.0 Sq.mm)	4%	H) HR PVC Inner Sheath	5%				
C) Extruded Inner Sheath	2.5%	I) HR PVC Outer Sheath	5%				
D) Round Wire Armouring:		J) FR-LSH Outer Sheath (Power Cables)					
1. 1C x 95.0 Sq.mm & above	7.5%	Upto 6.0 Sq.mm	7.5%				
2. 12C x 1.5 Sq.mm & above	15%	10.0 Sq.mm & above	4%				
3. 9C x 2.5 Sq.mm & above	15%	K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath)					
4. 4C x 10.0 Sq.mm & above	15%	Cores	FR-LSH		LSZH		* MOQ will be applicable for all Special Items
5. 2C x 16.0 & above	15%		Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath	
6. 3C x 16.0 & above	15%	2C to 4C	5%	6%	15%	15%	* The above material will be supplied from our Waghodia Unit.
E) Oxygen Index (FR)	2.5%	5C to 10C	5%	4%	15%	15%	
F) PVC Insulation (as per IS 1554)	5%	12C & above	5%	4%	12.5%	12.5%	

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

Newtek Kabel India Pvt. Ltd

Newtek Kabel India Pvt. Ltd

PRICE LIST

POWER CABLES (AL. ARMoured / UNARMoured)

NEWTEK KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	(UNARMoured CABLES) (A2XY)					(ARMoured CABLES) A2XFaY) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	60	77	-	90	-	104	119	-	138
6.0	-	75	95	-	112	-	122	141	-	162
10.0	-	105	129	-	144	-	148	177	-	191
16.0	55	107	145	-	181	100	168	183	-	226
25.0	86	154	213	267	281	131	196	246	285	304
35.0	105	212	291	321	348	155	242	320	352	388
50.0	135	259	365	417	465	188	299	419	455	517
70.0	179	357	501	573	658	240	400	539	611	694
95.0	223	441	626	722	786	252	512	678	769	852
120.0	274	539	765	926	942	314	612	808	957	1048
150.0	330	644	938	1090	1187	370	737	998	1114	1268
185.0	405	777	1152	1374	1461	452	890	1223	1410	1594
240.0	464	1033	1474	1661	1901	558	1156	1546	1795	1996
300.0	579	1262	1776	2111	2276	687	1409	1880	2170	2476
400.0	726	1574	2260	2683	3079	866	1733	2473	2766	3210
500.0	1004	1917	2955	3475	3935	1118	2297	3101	3604	4158
630.0	1193	2442	3961	4719	5359	1303	2891	4120	4913	5596
800.0	1601	-	-	-	-	1715	-	-	-	-
1000.0	2059	-	-	-	-	2167	-	-	-	-

Additional to be charged for Special Construction

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :					
B) Round Wire Armouring		Size	FR-LSH		LSZH		
1. 1C x 95.0 & above	25%		Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath	
2. 2C x 16.0 & above	25%		Upto 1C x 16.0	NA	10%	NA	25%
3. 3C x 16.0 & above	25%		1C x 25.0 to 1C x 50.0	NA	10%	NA	20%
4. 3.5C x 25.0 & above	25%		1C x 70.0 & above	NA	7.5%	NA	17.5%
5. 4C x 10.0 & above	25%		Multicore upto 16.0	10%	7.5%	15%	20%
C) Oxygen Index (FR)	2.5%	Multicore 25.0 to 50.0	7.5%	7.5%	12.5%	15%	
D) PVC Insulation (as per IS 1554)	8%	Multicore 70.0 & above	5%	5%	15%	12.5%	
E) HR PVC Insulation	10%	I) Extruded PVC Inner Sheath :		* MOQ will be applicable for all Special Items			
F) HR PVC Inner Sheath	5%	1. Upto 50.0 Sq.mm.	5%				
G) HR PVC Outer Sheath	5%	2. 70.0 Sq.mm. & above	2.5%				

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

Newtek Kabel India Pvt.Ltd

PRICE LIST

HT Single Core Power Cables

NEWTEK KABEL Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Al Flat / Round Wire Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	RATE PER METER (INR)											
	3.3 KV (UE) / 6.6 KV (E)		6.6 KV (UE) / 11 KV (E)		11 KV (UE)		22 KV (E)		33 KV (E)		33 KV (UE)	
	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour
240.0	799	838	878	922	994	1047	1018	1072	1309	1379	1499	1579
300.0	915	966	1008	1063	1133	1192	1159	1220	1547	1631	1666	1755
400.0	1113	1173	1208	1271	1345	1415	1375	1446	1776	1865	1879	1976
500.0	1420	1496	1473	1547	1690	1777	1690	1777	2092	2204	2180	2298
630.0	1715	1808	1762	1854	1997	2099	1997	2099	2432	2560	2533	2665
800.0	2133	2243	2162	2274	2391	2518	2391	2518	2879	3030	3005	3160
1000.0	2523	2656	2771	2919	2964	3117	2964	3117	3522	3694	3788	3985

Additional to be charged for Special Construction

A) FR-LSH PVC Inner Sheath -	7.5%
B) FR-LSH PVC Outer Sheath -	5%
C) Oxygen Index -	3%

Terms & Conditions:

- > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

Newtek Kabel Pvt. Ltd

PRICE LIST

HT 3 Core Power Cables

NEWTEK KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Cores laid up, Inner Sheath of PVC tape, GI Flat Strip Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	3.3 KV (UE) / 6.6 KV (E)	6.6 KV (UE) / 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35.0	-	794	-	-	-	-
50.0	-	911	-	-	-	-
70.0	1017	1083	-	-	-	-
95.0	1186	1296	1713	1796	2374	-
120.0	1398	1496	1969	2032	2606	-
150.0	1591	1677	2169	2271	2878	3284
185.0	1846	1959	2462	2560	3188	3648
240.0	2246	2358	2900	3005	3634	4122
300.0	2688	2796	3352	3455	4104	4621
400.0	3339	3415	3971	4144	4775	5344

Additional to be charged for Special Construction

A) Extruded PVC Inner Sheath -	3%
B) Pressure Extruded PVC Inner Sheath -	13%
C) Round Wire Armouring - Upto 11 KV	25%
D) Round Wire Armouring - Upto 11 KV (UE) & above -	27.5%
E) FR-LSH PVC Inner Sheath -	5%
F) FR-LSH PVC Outer Sheath -	5%
G) Oxygen Index (FR Sheath) -	3%

Terms & Conditions:

- > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE



Newtek Kabel PVC insulated and FR PVC Round Sheathed, Copper Conductor (flexible) industrial cable, 1100 Volt, conforming to IS 694

IS:694



HSN CODE: 8544

Nominal Area of Conductor sq. mm	Basic Code	List Price in per 100 m	Basic Code	List Price in per 100 m	Basic Code	List Price in per 100 m
2 Core			3 Core		4 Core	
0.50 sq. mm	NKFDSKB2X50	3182.70	NKFDSKB3X50	4125.15	NKFDSKB4X50	5201.50
0.75 sq. mm	NKFDSKB2X75	4161.20	NKFDSKB3X75	5484.75	NKFDSKB4X75	7163.65
1.00 sq. mm	NKFDSKB21X0	5124.25	NKFDSKB31X0	6937.05	NKFDSKB41X0	8888.90
1.50 sq. mm	NKFDSKB21X5	6859.80	NKFDSKB31X5	9419.35	NKFDSKB41X5	12195.20
2.50 sq. mm	NKFDSKB22X5	10799.55	NKFDSKB32X5	15192.50	NKFDSKB42X5	19626.65
4.00 sq. mm	NKFDSKB24X0	16320.35	NKFDSKB34X0	23133.80	NKFDSKB44X0	30524.05
6.00 sq. mm	NKFDSKB26X0	23896.00	NKFDSKB36X0	34803.70	NKFDSKB46X0	44830.75
10.00 sq. mm	NKFDSKB2010	40226.65	NKFDSKB3010	58385.55	NKFDSKB4010	77600.20
16.00 sq. mm	NKFDSKB2016	66465.90	NKFDSKB3016	91500.05	NKFDSKB4016	120813.85
25.00 sq. mm	NKFDSKB2025	103911.55	NKFDSKB3025	148953.45	NKFDSKB4025	198311.05
35.00 sq. mm	NKFDSKB2035	143406.90	NKFDSKB3035	206865.20	NKFDSKB4035	271528.60
50.00 sq. mm	-	-	NKFDSKB3050	292468.50	NKFDSKB4050	383324.80
70.00 sq. mm	-	-	NKFDSKB3070	416928.55	NKFDSKB4070	546811.55
95.00 sq. mm	-	-	NKFDSKB3095	548794.30	NKFDSKB4095	709000.50
5 Core			6 Core		7 Core	
0.50 sq. mm	NKFDSKB5X50	6339.65	NKFDSKB6X50	8008.25	NKFDSKB7X50	8878.60
0.75 sq. mm	NKFDSKB5X75	8847.70	NKFDSKB6X75	10948.90	NKFDSKB7X75	12195.20
1.00 sq. mm	NKFDSKB51X0	11293.95	NKFDSKB61X0	13863.80	NKFDSKB71X0	15589.05
1.50 sq. mm	NKFDSKB51X5	15738.40	NKFDSKB61X5	19348.55	NKFDSKB71X5	21779.35
2.50 sq. mm	NKFDSKB52X5	25657.30	NKFDSKB62X5	31378.95	NKFDSKB72X5	34844.90
4.00 sq. mm	NKFDSKB54X0	40885.85	NKFDSKB64X0	49445.15	NKFDSKB74X0	55269.80
8 Core			10 Core		12 Core	
0.50 sq. mm	NKFDSKB8X50	10675.95	NKFDSKBXC50	12875.00	NKFDSKBAX50	15094.65
0.75 sq. mm	NKFASKB8X75	14353.05	NKFDSKBXC75	17566.65	NKFDSKBAX75	20713.30
1.00 sq. mm	NKFDSKB81X0	18339.15	NKFDSKBXC1X0	22345.85	NKFDSKBA1X0	26532.80
1.50 sq. mm	NKFDSKB81X5	25631.55	NKFDSKBXC1X5	31863.05	NKFDSKBA1X5	37682.55
2.50 sq. mm	NKFASKB82X5	41514.15	NKFDSKBXC2X5	50990.15	NKFDSKBA2X5	60414.65
4.00 sq. mm	NKFDSKB84X0	64869.40	NKFDSKBXC4X0	80226.70	NKFDSKBA4X0	94342.85
14 Core			16 Core		19 Core	
0.50 sq. mm	NKFDSKBEX50	17499.70	NKFDSKBIX50	20136.50	NKFDSKBDX50	23092.60
0.75 sq. mm	NKFASKBEX75	23937.20	NKFDSKBIX75	27248.65	NKFDSKBDX75	31919.70
1.00 sq. mm	NKFDSKBEX1X0	30889.70	NKFDSKBIX1X0	34844.90	NKFDSKBD1X0	41400.85
1.50 sq. mm	NKFDSKBEX1X5	43852.25	NKFDSKBIX1X5	49136.15	NKFDSKBD1X5	58900.55
2.50 sq. mm	NKFDSKBEX2X5	70256.30	NKFDSKBIX2X5	80118.55	NKFDSKBD2X5	95728.20
4.00 sq. mm	NKFDSKBEX4X0	111085.50	NKFDSKBIX4X0	126756.95	NKFDSKBD4X0	150735.35



Newtek Kabel Flat Three Core PVC Insulated & PVC Sheathed Industrial Cable for Submersible Pump Motors

1100 Volt, conforming to IS 694



HSN CODE: 8544

Nominal area of conductor sq. mm	Basic Code	List Price in per 1000 m
1.5 sq. mm	NKDSKG31X5	96902.40
2.5 sq. mm	NKNDSKG32X5	155184.95
4.0 sq. mm	NKNDSKG34X0	231858.15
6.0 sq. mm	NKNDSKG36X0	338282.90
10 sq. mm	NKNDSKG3010	568724.80
16 sq. mm	NKNDSKG3016	897336.00
25 sq. mm	NKNDSKG3025	1385066.75
35 sq. mm	NKNDSKG3035	1934546.00

Standard Packing: 100 m
also available: 500 m $\pm 5\%$ on
non returnable wooden drums (on demand)



NEW TEK KABEL



NEW TEK KABEL

Manufacturing Unit
Newtek Kabel India Pvt.Ltd
Khodiyar nagar street no.1 Jetpur near khodiyar temple Navagadh Pincode- 360370
Head office
C165, Block B, XU 2 Near PNB Bank Greater Noida 201310
Manufacturing Unit ii
Gali Number 4 Building 42 Near Metro station Shahdara (Delhi) Pincode 110032

For consumer complaint, Contact
consumer customer care executive
customercarenewtekkabel@gmail.com
Tollfree Number
1800 309 6265
Website : www.newtekkabel.com
Liability limited to repair/replacement
of the product only